

### Declaration of Compatibility

According to the state of knowledge at the revision date of this document TYROLMED GmbH declares that the products of the product family neutral electrodes are compatible to high frequency surgery generators (HF generators) referred to the following list:

#### **AESCULAP**

**HF generators:**

GN 300, GN 640 (Nelson deluxe)

**Non-split electrodes REF:**

1201H, 1202H, 1203H, 1210H, 1268H, 1271H

**Split electrodes REF:**

1211H, 1212H, 1213H, 1220H, 1222H, 1223H, 1226H, 1280H, 1283H, 1269H, 1274H, 1286H

**Connection cable REF:**

1233, 1234

#### **BOWA**

**HF generators:**

ARC 400, ARC 350, ARC 303, ARC 250, ARC 100

**Non-split electrodes REF:**

1201H, 1202H, 1203H, 1210H, 1258H, 1261H, 1262H, 1263H

**Split electrodes REF:**

1211H, 1212H, 1213H, 1220H, 1222H, 1223H, 1226H, 1280H, 1283H, 1251H, 1252H, 1253H, 1255H, 1257H, 1259H, 1285H, 1288H

**Connection cable REF:**

1236, 1239

#### **CONMED**

**HF generators:**

System 2450, System 5000, BiCap III

**Non-split electrodes REF:**

1201H, 1202H, 1203H, 1210H, 1258H, 1261H, 1262H, 1263H

**Split electrodes REF:**

1211H, 1212H, 1213H, 1220H, 1222H, 1223H, 1226H, 1280H, 1283H, 1251H, 1252H, 1253H, 1255H, 1257H, 1259H, 1285H, 1288H

**Connection cable REF:**

1236, 1239

#### **ERBE**

**HF generators:**

VIO 3, VIO 300 D, VIO 300 S, VIO 200 D, VIO 200 S, ICC 350

**Non-split electrodes REF:**

1201H, 1202H, 1203H, 1210H, 1258H<sup>(1)</sup>, 1261H<sup>(1)</sup>, 1262H<sup>(1)</sup>, 1263H<sup>(1)</sup>

**Split electrodes REF:**

1212H, 1213H, 1220H, 1226H, 1280H<sup>(2)</sup>, 1283H, 1255H<sup>(1)</sup>, 1257H<sup>(1)</sup>, 1259H<sup>(1)</sup>, 1285H<sup>(1+2)</sup>, 1288H<sup>(1)</sup>

**Connection cable REF:**

1236<sup>(1)</sup>, 1239<sup>(1)</sup>

<sup>(1)</sup> International devices only

<sup>(2)</sup> NOT compatible with ICC 350



## HEBU

**HF generators:**

HBS x-touch 300

**Non-split electrodes REF:**

1201H, 1202H, 1203H, 1210H, 1268H, 1271H

**Split electrodes REF:**

1211H, 1212H, 1213H, 1220H, 1222H, 1223H, 1226H, 1280H, 1283H, 1269H, 1274H, 1286H

**Connection cable REF:**

1233, 1234

## Meyer-Haake

**HF generators:**

radioSURG 2200m, 2200 „TP“, 2200 „TPA“

**Non-split electrodes REF:**

1201H, 1202H, 1203H, 1210H, 1268H, 1271H

**Split electrodes REF:**

-

**Connection cable REF:**

1233, 1234

## OLYMPUS

**HF generators:**

ESG-400

**Non-split electrodes REF:**

1201H, 1202H, 1203H, 1210H, 1258H, 1261H, 1262H, 1263H

**Split electrodes REF:**

1211H, 1212H, 1213H, 1220H, 1222H, 1223H, 1226H, 1280H, 1283H, 1251H, 1252H, 1253H, 1255H, 1257H, 1259H, 1285H, 1288H

**Connection cable REF:**

1236, 1239

## RICHARD WOLF

**HF generators:**

2260

**Non-split electrodes REF:**

-

**Split electrodes REF:**

1211H, 1212H, 1213H, 1220H, 1222H, 1226H, 1280H, 1251H, 1252H, 1255H, 1257H, 1259H, 1285H

**Connection cable REF:**

1239

<p><b>STORZ</b></p> <p><b><u>HF generators:</u></b> AUTOCON III 400</p> <p><b><u>Non-split electrodes REF:</u></b> 1201H, 1202H, 1203H, 1210H, 1258H, 1261H, 1262H, 1263H</p> <p><b><u>Split electrodes REF:</u></b> 1211H, 1212H, 1213H, 1220H, 1222H, 1223H, 1226H, 1280H, 1283H, 1251H, 1252H, 1253H, 1255H, 1257H, 1259H, 1285H, 1288H</p> <p><b><u>Connection cable REF:</u></b> 1236, 1239</p>
--

<p><b>SUTTER</b></p> <p><b><u>HF generators:</u></b> CURIS</p> <p><b><u>Non-split electrodes REF:</u></b> 1201H, 1202H, 1203H, 1210H, 1268H, 1271H</p> <p><b><u>Split electrodes REF:</u></b> 1211H, 1212H, 1213H, 1220H, 1222H, 1223H, 1226H, 1280H, 1283H, 1269H, 1274H, 1286H</p> <p><b><u>Connection cable REF:</u></b> 1233, 1234</p>
--

<p><b>VALLEYLAB</b></p> <p><b><u>HF-generators:</u></b> Force FX, Force EZ, Force Triad, FT10 Energy Platform</p> <p><b><u>Non-split electrodes REF:</u></b> -</p> <p><b><u>Split electrodes REF:</u></b> 1211H, 1212H, 1213H, 1220H, 1222H, 1223H, 1226H, 1280H, 1283H, 1251H, 1252H, 1253H, 1255H, 1257H, 1259H, 1285H, 1288H</p> <p><b><u>Connection cable REF:</u></b> 1239</p>
---

**Warning:**

If the HF-generator has a contact quality monitoring system, (CQM, e.g. “REM,” “NESSY,” “EASY”) always use split electrodes. Only when a split electrode is used with a CQM system, the contact with the patient is monitored automatically.

**Note:**

The compatibility with the listed HF-generators is also given if the original connection cables from the manufacturer of the HF-generators are used and if they support a connection lug of 24 mm in width.

TYROLMED GmbH



Johannes Keplinger, MA. MAS.  
Managing Director

Innsbruck, 2020-05-11